

L Number	Hits	Search Text	DB	Time stamp
-	0	"hidden shipping address"	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:29
-	0	"Secret shipping address"	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:29
-	<i>Read</i> 2	"proxy shipping address"	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:30
-	0	"proxy identity" and "alias identity"	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:30
-	<i>Read</i> 17	Anonymous\$4 near2 ship\$4	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:31
-	1641	(proxy alias Pseudonym) same identity	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:32
-	1722	ship\$ near3 address	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:41
-	<i>title</i> 0 63	20040083184.URPN. (ship\$ near3 address) same (anonymous or hidd\$4)	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/16 18:37 2004/09/14 12:42
-	<i>Read</i> 8	(ship\$ near3 address) same (anonymous or hidd\$4) same encrypt\$4	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:16
-	<i>Abstract</i> 33	(ship\$ near3 address) same (anonymous or hidd\$4) and encrypt\$4	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:24
-	<i>Read</i> 3	(forward\$4 or transmit\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:26
-	<i>Read</i> 7	(forward\$4 or transmit\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:27

7	Read	(forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) adj (ship\$5 adj address)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:30
68	File	(forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:30
9	Abstract	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) same encrypt\$4	US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:31
23	Abstract	5825881.URPN.	USPAT	2004/08/17 08:34
14	Abstract	5825881.URPN. and encrypt\$4	USPAT	2004/08/17 08:36
47	File	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) or (((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address))) same encrypt\$4 or 5825881.URPN. or (5825881.URPN. and encrypt\$4)	USPAT	2004/08/17 09:08
2	Read	6332134.URPN.	USPAT	2004/08/17 09:07
33	File	("5465206" "5602918" "5621797" "5671279" "5671280" "5704046" "5715399" "5727163" "5732400" "5745886" "5757917" "5758327" "5787403" "5790677" "5822737" "5826241" "5839119" "5878139" "5883810" "5890137" "5940811" "5949044" "5952638" "5956699" "5960411" "5987140" "5991750" "5996076" "5999596" "6000832" "6002767" "6049785" "6169974").PN.	USPAT	2004/08/17 09:09
1	Read	("5465206" "5602918" "5621797" "5671279" "5671280" "5704046" "5715399" "5727163" "5732400" "5745886" "5757917" "5758327" "5787403" "5790677" "5822737" "5826241" "5839119" "5878139" "5883810" "5890137" "5940811" "5949044" "5952638" "5956699" "5960411" "5987140" "5991750" "5996076" "5999596" "6000832" "6002767" "6049785" "6169974").PN.) and ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 address)	USPAT	2004/08/17 09:10
4008		(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 (ship\$5 address)	USPAT	2004/08/17 09:10
2941		(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near2 (ship\$5 address)	USPAT	2004/08/17 09:11
611		(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) adj (ship\$5 address)	USPAT	2004/08/17 09:11
613		(blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)	USPAT	2004/08/17 09:12
312		electronic adj shop\$4	USPAT	2004/08/17 09:14
597285		e-commerce or e-commerce or (electronic commerce) or (online adj shopping)	USPAT	2004/08/17 09:14
209		((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and ((e-commerce or e-commerce or (electronic commerce) or (online adj shopping)) and (e-commerce or e-commerce or (electronic commerce) or (online adj shopping))) and encrypt\$4	USPAT	2004/08/17 09:14
75	File	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (e-commerce or e-commerce or (electronic commerce) or (online adj shopping)) and encrypt\$4	USPAT	2004/08/17 09:15
2772		e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping)	USPAT	2004/08/17 09:15
3	Read	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and ((e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping)) and (e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping))) and encrypt\$4	USPAT	2004/08/17 09:18
3	Read	("6049785" "6126069" "6205436").PN.	USPAT	2004/08/17 09:29
0		200153971.URPN.	USPAT	2004/08/17 09:29

-	<i>Read</i> 9	(ship\$5 adj (address or location)) near\$2 encrypt\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:21
-	<i>Read</i> 2	("5790665").PN.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 10:57
-	<i>File</i> 146	283/17.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:19
-	<i>File</i> 193	705/50.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:20
-	409	705/64.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:20
-	<i>File</i> 85	705/74.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:20
-	808	283/17.ccls. or 705/50.ccls. or 705/64.ccls. or 705/74.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:21
-	2769	(ship\$5 adj (address or location))	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:21
-	<i>Read</i> 1	(ship\$5 adj (address or location)) near blind\$4	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:22
-	<i>Read</i> 1	(ship\$5 adj (address or location)) near\$3 blind\$4	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 12:18
-	<i>Read</i> 0	20020007318.URPN. (("6748366") or ("5420926") or ("6006200")).PN.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:23 2004/08/17 12:22
-	0	09/129826	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 12:22

-	<i>Abstract 16</i>	("Anonymous shipping" or "proxy identity" or "alias identity" or ((proxy alias Pseudonym) same identity) and (ship\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit car")	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:15
-	<i>Abstract 24</i>	("Anonymous shipping" or "proxy identity" or "alias identity" or ((proxy alias Pseudonym) same identity) and (ship\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit car" or wallet)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:32
-	<i>Read 2</i>	((proxy alias Pseudonym) same identity) near4 ("smart card" or "ic card" or "integrated circuit car" or wallet)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:35
-	<i>Abstract 15</i>	20030100292.URPN. ((proxy alias Pseudonym) same identity) WITH ("smart card" or "ic card" or "integrated circuit car" or wallet)	USPAT; USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:35 2004/09/13 16:41
-	<i>Read 5</i> <i>4:41c</i>	6085081.URPN. privacy adj card	USPAT; USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:39 2004/09/13 16:59
-	0	("Anonymous shipping" or "proxy identity" or "alias identity" or ((proxy alias Pseudonym) same identity) and (ship\$ near3 address))) and (privacy adj card)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:42
-	1670	((proxy alias Pseudonym) same identity)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:42
-	1743	ship\$ near3 address	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:43
-	0	((proxy alias Pseudonym) same identity)) and (privacy adj card)) and ((ship\$ near3 address) and (privacy adj card))	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:43
-	<i>Abstract 23</i>	(ship\$ near3 address) and (privacy adj card)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/14 12:45
-	<i>Read 9</i>	((proxy alias Pseudonym) same identity)) and (privacy adj card)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:45
-	0	"single use credit card"	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/13 17:00

-	0	((single adj use) near3 card) and walker.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 17:01
-	19204	walker.in.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 17:02
-	0	walker.in. and (single adj use)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:42
-	File 54	"5768382"	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:42
-	Read 2	("5768382").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:48
-	Read 10	((("4707592") OR ("6006200")) OR ("6000832") OR ("6163771") OR ("5657388")).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:50
-	Read 2	("6029150").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 22:22
-	Absolutely	((ship\$4 or Deliver\$4) near3 address) and (privacy adj card)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 14:33
-	Read 2	"third party privacy system"	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 14:33
-	318	encrypt\$ with level with select\$	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 13:32
-	Read 1	(encrypt\$ with level with select\$) and ((ship\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 13:22

-	8	(encrypt\$ with level with select\$) and ((shipp\$ or Deliver\$4) near3 address)	USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:25
-	5	(encrypt\$ with level with select\$) with (shipp\$ or Deliver\$4)	USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:25
-	286	encrypt\$ with function with session	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:32
-	1	(encrypt\$ with function with session) and (shop\$5 with session with (id or identifier or identification or number or code))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:34
-	fi/c 60	shop\$5 with session with (id or identifier or identification or number or code)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:37
-	1	encrypt\$5 with (shop\$5 with session with (id or identifier or identification or number or code))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:37
-	16326	session with (id or identifier or identification or number or code)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:38
-	0	((encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))) with shop45	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:38
-	fi/c 80	(encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:43
-	7	(encrypt\$ with level with select\$) with (session with (id or identifier or identification or number or code))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/16 12:01
-	0	20010044785.URPN.	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB USPAT; US-PGPUB;	2004/09/15 13:58

-	1321	mult\$5 with level with security	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/15 18:24
-	4/11/103	((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/15 18:26
-	Read 1	(mult\$5 with level with security) and ((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4))	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/15 18:26
-	Read 0	20020029248.URPN. ((encrypt\$ or algorithm) with level with select\$) with (session with (id or identifier or identification or number or code))	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/15 18:30 2004/09/16 12:01
-	Read 11	((encrypt\$ or algorithm) with level with select\$) same (session with (id or identifier or identification or number or code))	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:09
-	682	(mult\$5 adj (level or status or category or rank)) near3 (security or protection)	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:13
-	617	(mult\$5 adj (level or status or category or rank)) near2 (security or protection)	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:33
-	4/11/88	(mult\$5 adj (level or status or category or rank)) near2 (security or protection) same (encrypt\$4 or algorithm)	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:36
-	Read 4	((mult\$5 adj (level or status or category or rank)) near3 encrypt\$4) and ((mail\$5 or delivery or shipp\$5) adj address)	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:38
-	4/11/131	(mult\$5 adj (level or status or category or rank)) near3 encrypt\$4	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:55
-	Read 0	6598161.URPN. 6128735.URPN.	USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/16 12:45 2004/09/16 12:50

-	0	((mult\$ adj (level or status or category or rank)) near3 encrypt\$4) near4 (personal adj (information or data))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/16 12:56
-	<i>Read</i> 2	("5903652").PN.		2004/09/16 23:25
-	<i>Read</i> 1	((("5903652").PN.) and (address or added or "P.O.Box" or "Post Office Box"))		2004/09/16 23:27